
CLEVERTOUCH® by Boxlight®



## **CM** Totem

# The ultimate freestanding commercial display, designed to revolutionise customer engagement and wayfinding.

Its sleek and ultra-slim design makes it a captivating addition to any retail, hospitality or enterprise environment. Utilise its full-screen display to showcase vibrant and dynamic images and videos that leave a lasting impact on customers.



## 

Subscription free feature rich digital signage. Create your account today at **cleverlive.com** 





#### Digital Signage Full Screen Posters & Videos



Power Management Scheduling

In-built QR code functionality



Ultra-slim, sleek modern design



Android Technology



24/7 Usage

HDMI In

HDM

**One Touch Messaging &** 

Broadcasting

### Enhance your solution

Key Features



Take your Totem to the next level - upgrade to fully multizone signage by adding a Pico XI media player within the cabinet. Display promotional offers, wayfinding maps, or social media feeds and more, across multiple zones to create a truly dynamic and tailored experience.

## **ব ব ব**

#### **CM Totem** Specifications



#### Panel

Screen size	49"   55"
Panel Type	a-Si TFT-LCD
Active Area	1080:1920
Resolution	1920 x 1080
Brightness	350 Nits
Contrast Ratio	1200:1
Viewing Angle	89/89/89/89
LED Life Time	50,000Hr
Weight	<b>49"</b> 43kg
	<b>55''</b> 49kg

#### Power

Power Supply **Rated Frequency**  96 - 220 V 50/60Hz

#### Installation

The installation of this product should be completed by a qualified installer. Use of components not supplied by Clevertouch or not meeting minimum specifications may impact performance, safety and warranty. For more information, visit clevertouch.com

#### Support


For all Clevertouch products, visit: support.clevertouch.com

#### Warranty

Warranty term and upgrade options vary by region. Contact your local reseller or distributor for information and visit clevertouch.com/about/warranty

#### Compliance & Certification

**Regulatory Certification** 



#### CPU

Motherboard

**Operation System** 

CPU	Quad Core 1.8GHz 64bits, RK3288
Memory	2G
Storage	16G
Network	Wifi, RJ45
I/O Ports	USB 2.0 x2, , RJ45 x1, HDMI ln x1, earphone port x1 Standard MicroSD Card Slot x1 (Support Max 128G)
Speakers	5W x2

Android 11

#### **Environmental Conditions**

Operating System	0°C - 50°C
Storage System	-20°C60°C

#### Statement

Size and weight vary by configuration and manufacturing process, please refer to the actual product. The product images are for illustrative purposes only and may slightly differ in appearance, colour, size, etc. from the actual product. The description, illustrations, etc. in this document may subject to change in accordance with the latest product specification and performance. Should the abovementioned change in the document become necessary, the document may be updated without written notice.

© 2021 Clevertouch. All rights reserved. Sahara Presentations Systems PLC. is part of the Boxlight group of companies, and the owner of trademarks in several global jurisdictions including but not limited to Clevertouch, the Clevertouch logo, UX Pro, IMPACT<sup>™</sup>, IMPACT Plus<sup>™</sup>, Impact MAX, CleverLive, LUX, Lynx, CleverMessage, Cleverstore and Clevershare. All third-party trademarks (including logos and icons) referenced by Clevertouch remain the property of their respective owners. Unless specifically identified as such, Clevertouch's use of third-party trademarks does not indicate any relationship, sponsorship, or endorsement between Clevertouch and the owners of these trademarks. Applicable Terms and Conditions for warranty and support available at clevertouch.com/about/warranty. All weights and dimensions are approximate. Product specifications are subject to change without notice. Clevertouch.com.